

State:

Year:

County:

Site/Location Name (includes four traps):

Count	1	2	Total	3	Total	4	Total	5	Total	6	Total	7	Total	8
Date Counted:														
Total in AC trap 1:														
Total in PW trap 1:														
Total in AC trap 2:														
Total in PW trap 2:														

**Spring Larval Scouting:**

Site                      Count Date                      AC or PW Larvae / foot                      AC or PW Larvae Size (0.0, 0.5, 1.0, 1.5, 2.0)

Are larvae moving?

AC / PW Rating

Not present or very difficult to find.

Present but not found frequently.

Commonly seen but no local economic infestations in alfalfa (ACW) or wheat (ACW, PWC);

Economic infestations may be present in sugarbeets.

Commonly found but limited economic infestations / treatments in alfalfa or wheat (less than 1% of fields require treatment).

Economic infestations likely in sugarbeets.

Commonly found with significant economic infestations in alfalfa or wheat (approximately 10% of fields require treatment).

Widespread economic infestations (more than 20% of fields require treatment).

**Estimate of Acres treated:**

Site                      Date of Estimate                      County Location by Quarter

Date of Application (MM/DD/YYYY, if none enter estimate date)

Source (self, aerial, applicator, Coop etc.)

Acreage treated

Crop or n/a

Product or n/a

Method of application or n/a

Pest Controlled